	Application No.	Applicant(s)	
Notice of Allowability	10/087,899	087 899 DEXTER ET AL.	
	Examiner	Art Unit	
	Thor S. Campbell	3742	
The MAILING DATE of this communication applications being allowable, PROSECUTION ON THE MERITS IS nerewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT ROT the Office or upon petition by the applicant. See 37 CFR 1.31: 1. This communication is responsive to pressure to the communication is responsive to the pressure of the Examine and the communication is responsive to the CFR to	ears on the cover sheet with (OR REMAINS) CLOSED in (OR REMAINS) CLOSED in (OR REMAINS) CLOSED in (OR REMAINS) CLOSED in (OR REMAINS) and MPEP 1308. 3/15/5/4 er. Inder 35 U.S.C. § 119(a)-(d) or (OR REMAINS) control (th the correspondence adding this application. If not include unication will be mailed in due subject to withdrawal from issure or (f).	e course. THIS ue at the initiative
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subr	MENT of this application.		·
5. L. A SUBSTITUTE OATH OR DECLARATION must be subt INFORMAL PATENT APPLICATION (PTO-152) which give	ves reason(s) why the oath o	r declaration is deficient.	
6. \square CORRECTED DRAWINGS (as "replacement sheets") mu	ist be submitted.		
(a) including changes required by the Notice of Draftsper		w (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date		r in the Office action of	
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date			an hook) of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on t the header according to 37 Cl	he drawings in the front (not tr FR 1.121(d).	те раск) от
 DEPOSIT OF and/or INFORMATION about the dep- attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MAT FFOR THE DEPOSIT OF BI	ERIAL must be submitted. OLOGICAL MATERIAL.	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB. Paper No./Mail Date	6. Interview S Paper No. 7. Examiner's	nformal Patent Application (Posummary (PTO-413), Summary (PTO-413), JMail Date Sumendment/Comment	
 Examiner's Comment Regarding Requirement for Deposit 	<u>_</u>	Statement of Reasons for A	lowance
of Biological Material	9. 🗌 Other	·	
		THORCAM	PBELL MINER

Application/Control Number: 10/087,899

Art Unit: 3742

Allowable Subject Matter

Claims 11-18 are allowed.

The following is an examiner's statement of reasons for allowance: Although the prior art teaches the combination of a pressure washer, comprising a frame; an engine mounted to said frame; a pump coupled to said engine for pumping a liquid; a pulse hose for absorbing pressure pulsation in the liquid induced by pumping, the prior art fails to explicitly teach or suggest the above in combination with a pulse hose retainer for retaining said pulse hose, wherein the pulse hose retainer comprises a body having a first aperture and a second aperture, the first aperture being suitable for receiving said pulse hose, and the second aperture being suitable for securing said pulse hose retainer to said frame. In the examiner's opinion, the combination could only be arrived at through improper hindsight, since there is no suggestion of a problem needing to be addressed with the prior art pulse hose dampeners.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thor S. Campbell whose telephone number is 703-306-9042. The examiner can normally be reached on Tue-Fri 5:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Pothier can be reached on 703-308-0265. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 3

Application/Control Number: 10/087,899

Art Unit: 3742

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TSC 4/1/04